HUANHUA

Rhua

ELECTRIC WATER HEATERS

PRODUCT CATALOGUE

Instantaneous electric water heaters





Shenzhen Huanhua Technology Co., Ltd.

Manufacturing for overseas trade

ABOUT HUANHUA

Electric water heater manufacturing

Shenzhen Huanhua Technology Co., Ltd. (HUANHUA) is a water heater manufacturer focused on overseas trade. Our product range covers compact electric water heaters and larger glass-front and ABS models for residential and accommodation projects.



Product development & manufacturing

We support OEM/ODM projects through product selection, design and manufacturing. The production workflow includes electronic components, moulded parts, assembly and finished-product testing.

Rhua products and customer branding

Choose a configuration from this catalogue and discuss your brand requirements with HUANHUA. Final appearance, electrical specifications and packaging follow the agreed sample and order specification.

MANUFACTURING & QUALITY

Production and testing



Injection moulding

Moulded components support the enclosure and internal product structure.



Finished-product testing

Production checks support consistent product assembly and operation.



Laboratory verification

Laboratory facilities support product validation. Component control, assembly inspection and complete-unit testing form part of the manufacturing workflow.

For an export order, request the model-specific test reports and compliance documents required by the destination market.

PRODUCT GUIDE

Find your configuration

42 configurations across 29 product presentations. Dimensions and power ratings appear on each product page.

Series / design	Rated power	Page
DSF3 Glass with gold trim	6.05 kW	6
DSF4 Two-tone ABS	5.5 kW	7
DSF4 Brushed glass	6.05 / 6.5 / 7.5 kW	8
DSF6 Black glass with gold trim	7.5 / 8.5 kW	9
DSF6 Curved glass	8.5 kW	10
DSF10 Compact landscape design	5.5 kW	11
DSF11 Compact black glass	5.5 kW	12
DSF11 Compact ABS	3.4 kW	13
DSF12C Brushed glass with silver trim	6.5 / 7.5 / 8.5 kW	14
DSF14 Glass front	8.5 kW	15
DSF19 Oval ABS	6.5 / 7.5 kW	16
DSF20 Textured ABS	5.5 kW	17
DSK11C Slim compact ABS	5.5 kW	18
DSK16A Compact square ABS	5.5 kW	19
DSK14A White ABS	6.5 / 7.5 / 8.5 kW	20

PRODUCT GUIDE

Product guide continued

Series / design	Rated power	Page
DSK14B White tempered glass	6.5 / 7.5 / 8.5 kW	21
DSK19 Oval white ABS	6.5 / 7.5 / 8.5 kW	22
DSK6 White curved glass	8.5 kW	23
F2 White ABS vertical	6.05 kW	24
F4C Gold glass	6.05 kW	25
F4C Red glass	6.05 kW	26
F4C Blue glass	7 kW	27
F4C Black glass	7.5 kW	28
F4C Black and white glass	8 kW	29
F8 Textured white ABS	6.05 kW	30
F8 Faceted blue ABS	6.05 kW	31
F10 Compact landscape ABS	5.5 kW	32
F11 Slim vertical ABS	5.5 kW	33
F6 White curved glass	8.5 kW	34

Project enquiries & ordering 35

Contact HUANHUA 36

RHUA / DSF3

Glass with gold trim

A narrow glass design with a five-key control panel.



6.05 kW

PRODUCT DIMENSIONS

180 x 318 x 60 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Blue / gold trim

CONTROL PANEL

5 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF6003G	6,050 W	Steel cup

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 400 x 385 mm / 6 units

RHUA / DSF4

Two-tone ABS

A two-tone front panel with four-key operation.



5.5 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White body / black & white front

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF5503Y	5,500 W	Die-cast aluminium

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 400 x 385 mm / 6 units

RHUA / DSF4

Brushed glass

Three power configurations in the same glass-front format.



6.05 / 6.5 / 7.5 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Brushed grey / cross pattern

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF6001	6,050 W	Steel cup
DSZF-KF6504Y	6,500 W	Die-cast aluminium
DSZF-KF7504Y	7,500 W	Die-cast aluminium

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 400 x 385 mm / 6 units

RHUA / DSF6

Black glass with gold trim

A 50 mm-deep enclosure with a black glass front.



7.5 / 8.5 kW

PRODUCT DIMENSIONS

480 x 280 x 50 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Black / gold trim

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF7501	7,500 W	Die-cast aluminium
DSZF-KF8505Y	8,500 W	Die-cast aluminium

PACKING

Unit box: 535 x 115 x 430 mm

Master carton: 570 x 490 x 470 mm / 4 units

RHUA / DSF6

Curved glass

A curved glass panel with four-key operation.



8.5 kW

PRODUCT DIMENSIONS

490 x 295 x 50 mm

FRONT MATERIAL

Curved tempered glass

SPECIFIED FINISH

Grey

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF8501	8,500 W	Die-cast aluminium

PACKING

Unit box: 535 x 115 x 430 mm

Master carton: 570 x 490 x 470 mm / 4 units

RHUA / DSF10

Compact landscape design

A compact glass-front format with three-key operation.



5.5 kW

PRODUCT DIMENSIONS

152 x 218 x 51 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Grey body / silver-black, gold trim

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF5501	5,500 W	Die-cast aluminium

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 690 x 335 x 330 mm / 6 units

RHUA / DSF11

Compact black glass

A narrow black glass format with a steel-cup heating body.



5.5 kW

PRODUCT DIMENSIONS

240 x 105 x 80 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Black

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF5501G	5,500 W	Steel cup

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 690 x 335 x 330 mm / 6 units

RHUA / DSF11

Compact ABS

A 3.4 kW configuration with one-key operation.



3.4 kW

PRODUCT DIMENSIONS

230 x 110 x 60 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

Grey

CONTROL PANEL

1 key

Configurations

Configuration reference	Rated power	Heating body
DJ34-KSDTF01	3,400 W	Steel cup

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 690 x 335 x 330 mm / 6 units

RHUA / DSF12C

Brushed glass with silver trim

A glass-front platform with steel-cup and aluminium heating options.



6.5 / 7.5 / 8.5 kW

PRODUCT DIMENSIONS

396 x 240 x 60 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Brushed grey / silver trim

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSZF-KF6501	6,500 W	Steel cup
DSZF-KF6501Y	6,500 W	Die-cast aluminium
DSZF-KF7503Y	7,500 W	Die-cast aluminium
DSZF-KF8502Y	8,500 W	Die-cast aluminium

PACKING

Unit box: 460 x 115 x 410 mm

Master carton: 645 x 475 x 425 mm / 5 units

RHUA / DSF14

Glass front

An 8.5 kW configuration with a steel-cup heating body.



8.5 kW

PRODUCT DIMENSIONS

420 x 243 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Grey / brushed finish

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DJ85-KSDTF02	8,500 W	Steel cup

PACKING

Unit box: 460 x 115 x 410 mm

Master carton: 645 x 475 x 425 mm / 5 units

RHUA / DSF19

Oval ABS

An oval front with three-key operation and two power options.



6.5 / 7.5 kW

PRODUCT DIMENSIONS

425 x 270 x 65 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DJ65-KSDTF04	6,500 W	Die-cast aluminium
DJ75-KSDTF05	7,500 W	Die-cast aluminium

PACKING

Unit box: 460 x 115 x 410 mm

Master carton: 645 x 475 x 425 mm / 5 units

RHUA / DSF20

Textured ABS

A textured front panel with five-key operation.



5.5 kW

PRODUCT DIMENSIONS

280 x 180 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

Grey

CONTROL PANEL

5 keys

Configurations

Configuration reference	Rated power	Heating body
DJ55-KSDTF03	5,500 W	Steel cup

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 400 x 385 mm / 6 units

RHUA / DSK11C

Slim compact ABS

A narrow white enclosure with a steel-cup heating body.



5.5 kW

PRODUCT DIMENSIONS

250 x 110 x 60 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH5551	5,500 W	Steel cup

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 725 x 340 x 335 mm / 6 units

RHUA / DSK16A

Compact square ABS

A compact square format with a circular display.



5.5 kW

PRODUCT DIMENSIONS

215 x 225 x 60 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH5552	5,500 W	Die-cast aluminium

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 400 x 385 mm / quantity to confirm

RHUA / DSK14A

White ABS

Three power configurations in a white ABS enclosure.



6.5 / 7.5 / 8.5 kW

PRODUCT DIMENSIONS

418 x 242 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH65321	6,500 W	Die-cast aluminium
DSKH75321	7,500 W	Die-cast aluminium
DSKH85321	8,500 W	Die-cast aluminium

PACKING

Unit box: 500 x 115 x 410 mm

Master carton: 620 x 515 x 442 mm / 5 units

RHUA / DSK14B

White tempered glass

A white glass-front platform with four-key operation.



6.5 / 7.5 / 8.5 kW

PRODUCT DIMENSIONS

420 x 243 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

White

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH65551	6,500 W	Die-cast aluminium
DSKH75551	7,500 W	Die-cast aluminium
DSKH85551	8,500 W	Die-cast aluminium

PACKING

Unit box: 500 x 115 x 410 mm

Master carton: 620 x 515 x 442 mm / 5 units

RHUA / DSK19

Oval white ABS

An oval enclosure with a circular display and three power options.



6.5 / 7.5 / 8.5 kW

PRODUCT DIMENSIONS

425 x 270 x 65 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH65331	6,500 W	Die-cast aluminium
DSKH75331	7,500 W	Die-cast aluminium
DSKH85331	8,500 W	Die-cast aluminium

PACKING

Unit box: 460 x 115 x 410 mm

Master carton: 645 x 475 x 425 mm / 5 units

RHUA / DSK6

White curved glass

An 8.5 kW configuration with a curved glass front.



8.5 kW

PRODUCT DIMENSIONS

490 x 295 x 60 mm

FRONT MATERIAL

Curved tempered glass

SPECIFIED FINISH

White

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSKH85561	8,500 W	Die-cast aluminium

PACKING

Unit box: 535 x 120 x 438 mm

Master carton: 555 x 520 x 460 mm / 4 units

RHUA / F2

White ABS vertical

A clean vertical design with three-key operation.



6.05 kW

PRODUCT DIMENSIONS

325 x 190 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSK2-60A-M	6,050 W	Steel cup

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F4C

Gold glass

A gold glass-front format with six-key operation.



6.05 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Gold

CONTROL PANEL

6 keys

Configurations

Configuration reference	Rated power	Heating body
DSK4-60C	6,050 W	Steel cup

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F4C

Red glass

A red glass-front format with a die-cast aluminium heating body.



6.05 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Red

CONTROL PANEL

6 keys

Configurations

Configuration reference	Rated power	Heating body
DSK4-L60C	6,050 W	Die-cast aluminium

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F4C

Blue glass

A blue glass-front format with six-key operation.



7 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Blue

CONTROL PANEL

6 keys

Configurations

Configuration reference	Rated power	Heating body
DSK4-70C	7,000 W	Stainless steel

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F4C

Black glass

A black glass-front format with a die-cast aluminium heating body.



7.5 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Black

CONTROL PANEL

6 keys

Configurations

Configuration reference	Rated power	Heating body
DSK4-L75C	7,500 W	Die-cast aluminium

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F4C

Black and white glass

A monochrome glass-front format with an 8.0 kW configuration.



8 kW

PRODUCT DIMENSIONS

330 x 210 x 70 mm

FRONT MATERIAL

Tempered glass

SPECIFIED FINISH

Black / white

CONTROL PANEL

6 keys

Configurations

Configuration reference	Rated power	Heating body
DSK4-80C	8,000 W	Stainless steel

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F8

Textured white ABS

A textured white enclosure with three-key operation.



6.05 kW

PRODUCT DIMENSIONS

325 x 190 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSK8S-60A-M	6,050 W	Steel cup

PACKING

Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F8

Faceted blue ABS

A faceted blue enclosure. The source file lists a 670 mm depth; confirm before quotation.



6.05 kW

PRODUCT DIMENSIONS

347 x 250 x 670 (confirm) mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

Diamond blue

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSK8-60B	6,050 W	Steel cup

PACKING


Unit box: 390 x 115 x 360 mm

Master carton: 741 x 385 x 400 mm / 6 units

RHUA / F10

Compact landscape ABS

A compact landscape format with three-key operation.



5.5 kW

PRODUCT DIMENSIONS

250 x 110 x 70 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSK10-L55	5,500 W	Die-cast aluminium

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 725 x 340 x 335 mm / 6 units

RHUA / F11

Slim vertical ABS

A slim vertical enclosure with a steel-cup heating body.



5.5 kW

PRODUCT DIMENSIONS

152 x 218 x 47 mm

FRONT MATERIAL

ABS plastic

SPECIFIED FINISH

White

CONTROL PANEL

3 keys

Configurations

Configuration reference	Rated power	Heating body
DSK11-55A	5,500 W	Steel cup

PACKING

Unit box: 320 x 110 x 310 mm

Master carton: 725 x 340 x 335 mm / 6 units

RHUA / F6

White curved glass

A large curved glass format with four-key operation.



8.5 kW

PRODUCT DIMENSIONS

490 x 295 x 50 mm

FRONT MATERIAL

Curved tempered glass

SPECIFIED FINISH

White

CONTROL PANEL

4 keys

Configurations

Configuration reference	Rated power	Heating body
DSK6-L85ZM	8,500 W	Die-cast aluminium

PACKING

Unit box: 535 x 115 x 430 mm

Master carton: 570 x 490 x 470 mm / 4 units

PROJECT ENQUIRIES

Order specification

Send us the configuration reference and your destination market. Our team can review the product, branding and packaging requirements for your enquiry.

01 Product selection

Series, configuration reference, required quantity and intended application.

02 Electrical requirements

Voltage, frequency, rated power and connection requirements for the target market.

03 Branding & packaging

Rhua or your brand artwork, front-panel finish, packaging and manual language.

04 Sample & commercial terms

Sample specification, applicable test documents, lead time and shipping terms.

Product photographs illustrate branding and appearance. Confirm the production sample before ordering. Dimensions follow the order shown in the product data and use millimetres. Colour, display details and packaging may vary by confirmed configuration.

Contact us

Shenzhen Huanhua Technology Co., Ltd.

EMAIL

rhuatech@vip.163.com

WHATSAPP

+86-13631208233

For product enquiries, please include your chosen configuration, quantity and destination market.